

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/060,982	01/30/2002	Mark W. Simon	2523.2003-000	7820
21005	7590 08/23/2004		EXAM	INER
HAMILTON 530 VIRGINIA	, BROOK, SMITH & RI A ROAD	MARCHESCHI	MARCHESCHI, MICHAEL A	
P.O. BOX 9133 CONCORD, MA 01742-9133			ART UNIT	PAPER NUMBER
			1755	

DATE MAILED: 08/23/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	
Passansa ta Pula 212 Communication	10/060,982	SIMON, MARK W.	
Response to Rule 312 Communication	Examiner	Art Unit	
	Michael A Marcheschi	1755	
The MAILING DATE of this communication a	appears on the cover sheet w	ith the correspondence address –	
. ☑ The amendment filed on <u>17 June 2004</u> under 37 CFR 1	1.312 has been considered, and	I has been:	
a) 🛛 entered.			
b) entered as directed to matters of form not affecting	g the scope of the invention.		
c) disapproved because the amendment was filed a	fter the payment of the issue fe	е.	
Any amendment filed after the date the issue f	ee is paid must be accompanie	d by a petition under 37 CFR 1.313(c)(1)	
and the required fee to withdraw the applicatio	n from issue.		
d) disapproved. See explanation below.			
e) entered in part. See explanation below.			
To comment on applicants remarks and to advance pros deleted word "added" is implied by the phrase 'relative h temperature". In other words, the above phrase implies t given temperature. In the remarks to 312 amendment, it examiner disagrees because, before the amendment was informed applicants representative of the exact terminolog "added". This amendment (which included the term "add	umidity which exceeds normal r that humidity <u>is added or in add</u> was stated that the term "added s made, an interview was held a gy used in the examiners amen	relative humidity at a given ition to the relative humidity at a d" was not agreed upon. The and at that time the examiner	

Mark L. Bell
Supervisory Patent Examiner
Technology Center 1700

Michael A Marcheschi Primary Examiner Art Unit: 1755